

CORRECTION

Open Access



Correction: Prognostic value of plasma high mobility group box 1 protein and histone H3 levels in patients with disseminated intravascular coagulation: a multicenter prospective cohort study

Hiroataka Mori^{1,2}, Yuki Kataoka^{2,3,4,5}, Kayo Harada-Shirado¹, Noriaki Kawano⁶, Mineji Hayakawa⁷, Yoshinobu Seki⁸, Toshimasa Uchiyama⁹, Kazuma Yamakawa¹⁰, Hiroyasu Ishikura¹¹, Yuhei Irie¹¹, Kenji Nishio¹², Noritaka Yada¹², Kohji Okamoto¹³, Shingo Yamada¹⁴ and Takayuki Ikezoe^{1*}

Correction: *Thrombosis J* 20, 33 (2022)
<https://doi.org/10.1186/s12959-022-00390-2>

Following publication of the original article [1], it was reported that the term ‘plasma’ should have been used in place of ‘serum’ in the title, abstract, methods, results, discussion, conclusions, and supplementary information, and prior researches in reference number 11, 12, 13, and 15. It was also reported that the term ‘plasma or serum’ should have been used in place of ‘serum’ in a prior research in reference number nine. The original article [1] has been updated.

Author details

¹Department of Hematology, Fukushima Medical University, 1 Hikarigaoka, Fukushima 960-1295, Japan. ²Scientific Research Works Peer Support Group (SRWS-PSG), Osaka, Japan. ³Department of Internal Medicine, Kyoto Min-Iren Asukai Hospital, 89 Tanaka Asukai-cho, Kyoto 606-8226, Japan. ⁴Section of Clinical Epidemiology, Department of Community Medicine, Kyoto University

The original article can be found online at <https://doi.org/10.1186/s12959-022-00390-2>.

*Correspondence: ikezoet@fmu.ac.jp

¹ Department of Hematology, Fukushima Medical University, 1 Hikarigaoka, Fukushima 960-1295, Japan

Full list of author information is available at the end of the article

Graduate School of Medicine, Sakyo-ku, Kyoto 606-8501, Japan. ⁵Department of Healthcare Epidemiology, Kyoto University Graduate School of Medicine/ Public Health, Sakyo-ku, Kyoto 606-8501, Japan. ⁶Department of Hematology, Miyazaki Prefectural Miyazaki Hospital, 5-30 Kita Takamatsu-machi, Miyazaki 880-8510, Japan. ⁷Department of Emergency Medicine, Hokkaido University Hospital, Kita-ku, Sapporo, Hokkaido N14W5060-8648, Japan. ⁸Department of Hematology, Uonuma Institute of Community Medicine, Niigata University Medical and Dental Hospital, 4132 Urasa, Minamiuonuma-shi, Niigata 949-7302, Japan. ⁹Department of Laboratory Medicine, National Hospital Organization Takasaki General Medical Center, 36 Takamatsu-cho, Takasaki, Gunma 370-0829, Japan. ¹⁰Department of Emergency Medicine, Osaka Medical and Pharmaceutical University, 2-7 Daigaku-machi, Takatsuki, Osaka 569-8686, Japan. ¹¹Department of Emergency and Critical Care Medicine, Faculty of Medicine, Fukuoka University, 7-45-1 Nanakuma Jonan-ku, Fukuoka 814-0180, Japan. ¹²Department of General Medicine, Nara Medical University, 840 Shijo-cho, Kashihara, Nara 634-8522, Japan. ¹³Department of Surgery, Kitakyushu City Yahata Hospital, 2-6-2 Ogura Yahatahigashi-ku, Kitakyushu, Fukuoka 805-8534, Japan. ¹⁴Shino-Test Corporation, R&D Center, Sagami-hara 252-0331, Japan.

Published online: 31 August 2022

Reference

1. Mori H, Kataoka Y, Harada-Shirado K, et al. Prognostic value of plasma high mobility group box 1 protein and histone H3 levels in patients with disseminated intravascular coagulation: a multicenter prospective cohort study. *Thrombosis J*. 2022;20:33. <https://doi.org/10.1186/s12959-022-00390-2>.



© The Author(s) 2022. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by/4.0/>. The Creative Commons Public Domain Dedication waiver (<http://creativecommons.org/publicdomain/zero/1.0/>) applies to the data made available in this article, unless otherwise stated in a credit line to the data.